

Indianapolis Division

6964 Hillsdale Court, Indianapolis IN 46250

Phone: (317) 842-4261

Fax: (317) 842-4286

TO:

Mr. Richard Tyler

COMPANY:

MILBANK MANUFACTURING INC

Fax:

17654528361

FROM:

Sarah A. Thomas

PHONE:

(317)842-4261

SENT ON:

04/08/02

12:15 PM EST

PAGES INCLUDING COVER:

4

**COMMENTS:** 

## PLEASE CALL NUMBER ABOVE IF FAX TRANSMISSION IS INCOMPLETE

This material is intended only for the use of the individual or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you received this communication in error, please notify us immediately by telephone at the number above

#### ANALYTICAL REPORT

Mr. Richard Tyler MILBANK MANUFACTURING INC 1400 E. Havens Street Kokomo, IN 56901-3188

04/04/2002

Job Number: 02.01407

Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: WASTEWATER ANALYSIS

Sample
Number Sample Description

Date Time Date Taken Taken Received

316794 WEEKLY - ZINC ONLY

03/27/2002 15:30 03/28/2002

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

TestAmerica Incorporated-Indianapolis Division is in compliance with the National Environmental Laboratory Accreditation Program (NELAP) Standards.

Reproduction of this analytical report is permitted only in its entirety.

## ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUPACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

04/04/2002

Job No.: 02.01407

Page 2 of 3

Date Received: 03/28/2002

Job Description: WASTEWATER ANALYSIS

 Sample Number / Sample I.D.
 Sample Date/
 Analyst
 Reporting

 Parameters
 Wet Wt. Result Flag
 Units
 Date & Time Analyzed
 Method
 Limit

 316794
 WEEKLY - ZINC ONLY
 03/27/2002 15:30
 Time, ICP
 <0.200</td>
 q
 mg/L
 400 04/02/2002 11:01 EPA 200.7
 <0.200</td>

# Page 3 of 3

#### KEY TO ABBREVIATIONS

- Less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
- Percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
- Indicates the Reporting Limit is elevated due to insufficient sample volume.
- mg/L Part per million; Concentration in units of milligrams of analyte per Liter of aqueous sample.
- ug/L Part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
- mg/kg Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
- ug/kg Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
- a Indicates the sample concentration was quantitated using a diesel fuel standard.
- b .. Indicates the analyte of interest was also found in the method blank.
- c Sample resembles unknown Hydrocarbon.
- dw When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
- Indicates the analyte has elevated Reporting Limit due to high concentration.
- d2 Indicates the analyte has elevated Reporting Limit due to matrix.
- e Indicates the reported concentration is estimated.
- q Indicates the sample concentration was quantitated using a gasoline standard.
- h Indicates the sample was analyzed past recommended holding time.
- Insufficient spike concentration due to high analyte concentration in the sample.
- j Indicates the reported concentration is below the Reporting Limit.
- k Indicates the sample concentration was quantitated using a kerosene standard.
- 1 Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision
- m Indicates the sample concentration was quantitated using a mineral spirits standard.
- o Indicates the sample concentration was quantitated using a motor oil standard.
- p Indicates the sample was post spiked due to sample matrix.
- q Indicates MS/MSD exceeded control limits. The associated sample may exhibit similar matrix bias.
  All other quality control indicators are in control.
- Indicates the sample was received past recommended holding time.
- u Indicates the sample was received improperly preserved and/or improperly contained.
- uj Indicates the result is below the Reporting Limit and is considered estimated.